## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date

of issue: 17-5-2018 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Trade name : Supreme HyperSynthetic 5W40

Product code : CB-P0642

Type of product : Use in lubricants

Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Engine oil

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Cyberoil Sunikersstraat 6135 HK, Sittard the Netherlands T +31620104978 mailto:

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

EUH208 - Contains Calcium long chain alkyl aryl sulfonate. May produce an allergic reaction.

#### 2.3. Other hazards

No additional information available

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Highly refined mineral oils and additives.

17-5-2018 EN (English) 1/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	(CAS-No.) 72623-86-0 (EC-No.) 276-737-9 (EC Index-No.) 649-482-00-X (REACH-no) 01-2119474878-16	< 50	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	< 50	Asp. Tox. 1, H304
Amines, polyethylenepoly-, reaction products with 1,3- dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs	(CAS-No.) 147880-09-9 (EC-No.) 604-611-9	2,5 - 5	Aquatic Chronic 4, H413
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	(CAS-No.) 68784-26-9 (EC-No.) 272-234-3 (REACH-no) 01-2119524004-56	0,1 - 2,5	Aquatic Chronic 4, H413
bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	0,1 - 2,5	Aquatic Chronic 4, H413
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	(CAS-No.) 68784-31-6 (EC-No.) 272-238-5 (REACH-no) 01-2119657973-23	0,1 - 2,5	Eye Dam. 1, H318 Aquatic Chronic 2, H411

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). : First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. : Wash skin

First-aid measures after skin contact with plenty of water.

First-aid measures after eye contact

: Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Do not induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available. Not expected to present a significant hazard under

anticipated conditions of normal use.

Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of it is in the fire in the fire in the fire it is in the fire in the fir

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

17-5-2018 EN (English) 2/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.

Storage temperature : 0 - 40 °C

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Supreme HyperSynthetic 5W40

EU Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can

occur the following is recommended: 5 mg/m<sup>3</sup> - ACGIH TLV (inhalable fraction).

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Materials for protective clothing:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR), Polyvinylchloride (PVC)	4 (> 120 minutes), 5 (> 240 minutes), 6 (> 480 minutes)	>=0,35	3 (> 0.65)	EN 374

## Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

## Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):





17-5-2018 EN (English) 3/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : brown.

Odour : characteristic.

Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable

Freezing point : -42 °C - ASTM D5950 (pour point)

Boiling point : No data available

Flash point : 223 °C - ASTM D92 (COC)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available

Density : 0,851 kg/l (15 °C) - ASTM D4052 Solubility : Water : Practically not miscible.

Log Pow : No data available

Viscosity, kinematic : 90,2 mm²/s (40 °C) - ASTM D7279

Viscosity, dynamic : No data available

Explosive properties : Presents no particular fire or explosion hazard.

Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

VOC content : 0 %

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No decomposition if stored normally.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
	LD50 oral rat	> 5000 mg/kg (OECD 401 method)
1	LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)

17-5-2018 EN (English) 4/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lubricating allo (natroloum) C45 30 b	
LC50 inhalation rat (mg/l)	ydrotreated neutral oil-based (72623-86-0)
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	> 5,53 mg/l (OECD 403 method)
Distillates (petroleum), hydrotreated he	
LD50 oral rat	> 5000 mg/kg (OECD 420 method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	> 5,53 mg/l/4h (mg/L air, aerosol) (OECD 403 method)
	s(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)
LD50 oral rat	2900 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
bis(nonylphenyl)amine (36878-20-3)	WAY
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)
Skin corrosion/irritation	: Not classified
serious eye damage/irritation	: Not classified
despiratory or skin sensitisation	: Not classified
erm cell mutagenicity	: Not classified
carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
TOT-repeated exposure	: Not classified
spiration hazard	: Not classified
Supreme HyperSynthetic 5W40	, 1101 oldooniou
Supreme riypersynthetic 34440	1985
Viscosity, kinematic ECTION 12: Ecological informa	90,2 mm²/s (40 °C) - ASTM D7279
Viscosity, kinematic  SECTION 12: Ecological informa  2.1. Toxicity	tion  : The product is not considered harmful to aquatic organisms nor to cause long-term adverse
Viscosity, kinematic  ECTION 12: Ecological informa  2.1. Toxicity  cology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Viscosity, kinematic  SECTION 12: Ecological information  2.1. Toxicity  cology - general  cute aquatic toxicity	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.     Not classified
Viscosity, kinematic  SECTION 12: Ecological information of the second o	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.     Not classified     Not classified
Viscosity, kinematic  SECTION 12: Ecological information of the second o	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.     Not classified     Not classified  ydrotreated neutral oil-based (72623-86-0)
Viscosity, kinematic  SECTION 12: Ecological information 2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0) > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
Viscosity, kinematic  SECTION 12: Ecological informa  2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
Viscosity, kinematic  SECTION 12: Ecological informa  2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)
Viscosity, kinematic  SECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. : Not classified : Not classified  vydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)
Viscosity, kinematic  SECTION 12: Ecological information of the second o	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  eavy paraffinic (64742-54-7)
Viscosity, kinematic  SECTION 12: Ecological information.  2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, hruc to toxicity  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he LC50 fish 1	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
Viscosity, kinematic  ECTION 12: Ecological informa  2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  eavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
Viscosity, kinematic  ECTION 12: Ecological informa  2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  eavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)
Viscosity, kinematic  ECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  : Not classified  pdrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  > 10000 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)
Viscosity, kinematic  ECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  vydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  eavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)
Viscosity, kinematic  SECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  : Not classified  pdrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  avy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)
Viscosity, kinematic  SECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  hronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified : Not classified  pdrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) >= 100 mg/l (Opaphnia magna, 48h) (OECD 202 method) >= 100 mg/l (Opaphnia magna, 21d) (OECD 211 method)  =s, calcium salts, overbased (68784-26-9)
Viscosity, kinematic  SECTION 12: Ecological informa  2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate  LC50 fish 1	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified : Not classified  pdrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) >= 1000 mg/l (Opaphnia magna, 21d) (OECD 211 method)  es, calcium salts, overbased (68784-26-9) > 1000 mg/l (OECD 203 method)
Viscosity, kinematic  ECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate  LC50 fish 1  EC50 Daphnia 1	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified : Not classified  pdrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  es, calcium salts, overbased (68784-26-9)  > 1000 mg/l (OECD 203 method)  > 1000 mg/l (OECD 203 method)  > 1000 mg/l (OECD 203 method)
Viscosity, kinematic  SECTION 12: Ecological informa  2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate  LC50 fish 1	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  **Pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 100 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  **es, calcium salts, overbased (68784-26-9)  > 1000 mg/l 48h (Daphnia magna) [OECD 202]  > 1000 mg/l 48h (Daphnia magna) [OECD 202]
Viscosity, kinematic  SECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Other aquatic organisms 1  EC50 Other aquatic organisms 1  EC50 (algae)	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified : Not classified  pdrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  es, calcium salts, overbased (68784-26-9)  > 1000 mg/l (OECD 203 method)  > 1000 mg/l (OECD 203 method)  > 1000 mg/l (OECD 203 method)
Viscosity, kinematic  SECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Other aquatic organisms 1  EC50 Other aquatic organisms 1  EC50 (algae)  NOEC (acute)	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  es, calcium salts, overbased (68784-26-9)  > 1000 mg/l 48h (Daphnia magna) [OECD 202]  > 100 mg/l 96h (Crangon crangon)  > 500 mg/l (OECD 201 method)
Viscosity, kinematic  ECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Oaphnia 1  EC50 Oaphnia 1  EC50 Oaphnia 1  EC50 Oaphnia 1  EC50 Cacute)  NOEC chronic digae  NOEC (acute)	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified : Not classified )  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pary paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) >= 100 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  es, calcium salts, overbased (68784-26-9)  > 1000 mg/l 48h (Daphnia magna) [OECD 202] > 100 mg/l 96h (Crangon crangon) > 500 mg/l (OECD 201 method)  > 1000 mg/l 96h (Pimephales promelas) [OECD 203]  > 500 mg/l 96h (Pimephales promelas) [OECD 201]
Viscosity, kinematic  SECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Oaphnia 1  EC50 Oaphnia 1  EC50 Oaphnia 1  EC50 Cacute)  NOEC chronic algae  Phosphorodithioic acid, mixed O,O-bis	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified  ydrotreated neutral oil-based (72623-86-0)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  pavy paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)  > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)  > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)  >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)  >= 100 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)  10 mg/l (Daphnia magna, 21d) (OECD 211 method)  es, calcium salts, overbased (68784-26-9)  > 1000 mg/l (OECD 203 method)  > 1000 mg/l 96h (Crangon crangon)  > 500 mg/l (OECD 201 method)  > 1000 mg/l 96h (Pimephales promelas) [OECD 203]
Viscosity, kinematic  SECTION 12: Ecological informa 2.1. Toxicity  cology - general  cute aquatic toxicity  chronic aquatic toxicity  Lubricating oils (petroleum), C15-30, h  LC50 fish 1  LC50 other aquatic organisms 1  NOEC (acute)  NOEC chronic crustacea  Distillates (petroleum), hydrotreated he  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Daphnia 2  NOEC (acute)  NOEC chronic fish  NOEC chronic crustacea  Phenol, dodecyl-, sulfurized, carbonate  LC50 fish 1  EC50 Daphnia 1  EC50 Daphnia 1  EC50 Oddecyl-, sulfurized, carbonate  LC50 fish 1  EC50 Oaphnia 1  EC50 Oaphnia 1  EC50 Cacute)  NOEC chronic algae	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  : Not classified : Not classified : Not classified )  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  **Party paraffinic (64742-54-7)  > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) >= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)  es, calcium salts, overbased (68784-26-9)  > 1000 mg/l 48h (Daphnia magna) [OECD 202] > 100 mg/l 96h (Crangon crangon) > 500 mg/l 96h (Pimephales promelas) [OECD 203] > 500 mg/l 96h (Pimephales promelas) [OECD 201]  s(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6)

17-5-2018 EN (English) 5/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

bis(nonylphenyl)amine (36878-20-3)		
LC50 fish 1	> 100 mg/l Brachydanio rerio (zebra-fish)	
EC50 Daphnia 1	> 100 mg/l (OECD 202 method)	
EC50 72h algae (1)	600 mg/l	
EC50 96h algae (1)	870 mg/l	

## 12.2. Persistence and degradability

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % (28d) (OECD 301F method)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Biodegradation	31 % (28d) (OECD 301F method)	
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	13,4 % Directive 67/548/CEE, Annex V, C.4.C.	
bis(nonylphenyl)amine (36878-20-3)		

## 12.3. Bioaccumulative potential

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
Log Kow	> 6
Bioaccumulative potential	Bioaccumulative potential.
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9)	

1 % (test concentration 20,1 mg/l)

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9)		
Bioconcentration factor (BCF REACH)	2,2	
Log Pow	9,5	

#### 12.4. Mobility in soil

Biodegradation

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Ecology - soil Insoluble in water.		
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9)		
Ecology - soil	Product adsorbs little onto the soil.	

## 12.5. Results of PBT and vPvB assessment

Component	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

17-5-2018 EN (English) 6/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

#### 14.6. Special precautions for user

#### - Overland transport

Not applicable

## - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

#### - Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

The following restrictions are applicable according to Armex XVII of the REA	1011 (20) 140 1001/2000.
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased - Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs - bis(nonylphenyl)amine
3 (b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based - Distillates (petroleum), hydrotreated heavy paraffinic
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased - Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs - bis(nonylphenyl)amine

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0 %

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

## Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration

17-5-2018 EN (English) 7/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
vPvB	Very Persistent and Very Bioaccumulative	

#### Full text of H- and EUH-statements:

Tall toxt of TT and Lot Totato		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
H304	May be fatal if swallowed and enters airways.	
H318	Causes serious eye damage.	
H411	Toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
EUH208	Contains Calcium long chain alkyl aryl sulfonate. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

17-5-2018 EN (English) 8/8